

ODDERS DIGEST  
15  
YEARS

MOUNT BRAKE & CLUTCH PEDALS

# RODDER'S DIGEST

## Do-It-Yourself **TECH!**

- PROJECT STRAT-O-STREAK UPDATE
- REBUILD VINTAGE HEATERS
- CONSTRUCTION ZONES: WILD '53 STUDEBAKER AND '29 "A" NOSTALGIA RACER

## ROD RUNNIN'

NSRA KALAMAZOO  
GOODGUYS CARLISLE  
SHADES OF THE PAST  
NSRA OKLAHOMA CITY



MORE VINTAGE TIN  
15 THINGS WE'LL NEVER GET SICK OF


\$3.95 (\$4.50 in Canada)




0 09281 01965 7  
PRINTED IN USA

# PRESTO-HEAT Hot Air for Hot Rods!


by Lane Anderson




1 This is our heater front and back. We removed the doors so the chrome didn't blind the camera.



2 The heater is really rather simple once disassembled. The hardest part was getting the core out of the housing. (The manufacturer must have had a phobia about rattles — it was a fight fit!)



3 The old motor on the left, the new 12-volt motor on the right. NAPA #6551063.



4 Adapting the new motor required only the drilling of two holes, slightly inboard of the original holes.

**F**all is the time of the year when you can cruise to your heart's content, without worrying about overheating.

Sometimes the opposite may be your problem, when your "significant other" says "I'm cold, can we turn on the heater?"

If you have a heater in your car, you may well be using the old style manual shut-off valve, usually located under the hood. While these valves still work fine, it is so tacky to be seen parked on the side of the road with the hood up, even if you are just turning on the heat!

If you did not want to spend the money for a new heater, or just liked the character and simplicity of the original heaters, follow us as we update our vintage heater. This unit was included with a 1937 Chevrolet and was an aftermarket add on. Everything that was done to this heater has also been done to O.E.M. heaters.

The first step was to have the heater core cleaned and pressure tested. Remember that some of the new street rod radiators come with a 22 P.S.I. cap. If the core passes this test, and ours did, it's time to start the updates.

A trip through the NAPA catalog found us 12 vt. motors, sim-

gle speed and two speeds, with identical dimensions. We chose the single speed reversible model and adapted it to the unit by simply drilling two holes. The fan hub was drilled to accept the larger diameter of the new shaft.


We could have stopped here and used the heater in its original configuration, but we decided to do two more upgrades.

The heater hoses originally came through the firewall and connected at the top and bottom of the heater. This makes it hard to change hoses, harder to tighten the clamps, and just looked goofy with the hoses penetrating the firewall 11" apart.


We added a cable controlled heater valve and rerouted the hose connections to be closer together and to extend forward through the firewall. We used a NAPA #BK660-1301 heater valve but soldered it into the new piping. The copper tubing is 5/8" O.D. "water pipe" just like you find in your basement.

With the addition of a bracket to anchor the end of the control cable, we now have the best of both worlds. Classic styling and total control from inside the car, and your "significant other" will be happy.


# RESTO-HEAT




**5** The heater control valve, NAPA #BK660-1301. We trimmed the enlarged ends off in preparation for soldering.




**6** After the trial fit, we installed the motor and made and installed a sheet metal bracket to anchor the end of the control cable.




**7** Our heater with new piping, including the heater control valve, mocked up for a trial fit. The 5/8" O.D. copper tubing and fittings are available at any hardware store.



**8** Tubing and control valve installed. Control cable for valve installed and clamped to the new bracket.





**9** To prevent the heater hoses from blowing off, we soldered 1/2 of a coupling to the end of each tube.



**10** Here is the entire updated unit, ready to be installed and enjoyed.

# BLOWER/PARASOL MOTORS

NAPA PN'S



Note dimension in inches  
 A = Shaft extension from face  
 B = Overall motor length  
 C = Case mounting face to mounting  
 D = Outside motor diameter  
 E = Mounting hole center to center  
 F = Case mounting face to mounting  
 G = Case bolts center-to-center

Part No.	Volt	Shaft Dia.	Relation								Motor Type
				A	B	C	D	E	F	G	
655-1003	12 Vdc	5/16"	C.W.S.E.	4-7/16"	4-7/8"	4-1/8"	3.0"	3-1/2"	2-1/8"	N/A	Rad fan lug m
655-1005	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-3/16"	4-1/8"	3-7/8"	3-3/8"	Varies	1-1/4"	GM A/C flng
655-1006	12 Vdc	5/16"	C.W.S.E.	5/16"	3-5/16"	4-9/16"	3-3/8"	3.0"	N/A	N/A	Dbl. shaft 3 si
655-1007	12 Vdc	5/16"	Reversible	5/16"	1-1/16"	4-7/8"	4-1/8"	3-1/4"	Varies	1-5/8"	Ford A/C flng
655-1008	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/16"	4-7/8"	4-1/8"	3-1/4"	Varies	1/8"	Ford A/C flng
655-1020	12 Vdc	5/16"	Reversible	5/16"	1-1/2"	4.0"	3-3/8"	3.0"	N/A	N/A	Htr. A/C (nv)
655-1021	6.0 Vd	1/4"	Reversible	1/4"	1-13/16"	3-3/4"	2-7/8"	3.0"	N/A	N/A	Htr. (nv)
655-1022	12	1/4"	Reversible	1-1/2"	3-3/4"	2-7/8"	3			2-5/16	Htr. (nv)
655-1025	12 Vdc	1/4"	C.C.W.S.E.	5/16"	1-5/32"	4-1/8"	3-11/32"	3.0"	N/A	N/A	Htr. 2 spd
655-1029	12 Vdc	5/16"	Reversible	5/16"	1-15/16"	4-1/2"	3-3/4"	3.0"	N/A	N/A	Stud mtg. T c
655-1034	12 Vdc	5/16"	C.W.L.E.	5/16"	3-5/16"	4-9/16"	3-3/8"	3.0"	N/A	N/A	Dbl. shaft 3 si
655-1035	12 Vdc	5/16"	Reversible	5/16"	2-7/8"	4.0"	3-3/8"	3.0"	N/A	N/A	Dbl. shaft (nv)
655-1037	24 Vdc	1/4"	Reversible	1/4"	1-13/16"	3-3/4"	2-7/8"	3.0"	N/A	N/A	Htr. (nv)
655-1039	12	5/16	C.W.S.E.	1-3/16	4-7/8	4-1/2	3-3/8	Varies	13/16		GM A/C flng
655-1042	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/2"	4-1/8"	3-11/32"	3.0"	N/A	N/A	Htr. 2 spd. (nv)
655-1045	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/16"	4-7/8"	4-1/8"	3-1/4"	5-9/16"	3/4"	Ford A/C flng
655-1048	12 Vdc	5/16"	C.W.S.F.	5/16"	1-7/8"	4-7/8"	4-1/8"	3-1/4"	N/A	1-3/4"	Chrysler A/C
655-1052	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-11/16"	4-1/4"	3-9/16"	3.0"	N/A	N/A	Htr. 2 spd. (v)
655-1056	12 Vdc	3/8"	C.W.L.E.	6mm	4-5/8"	5-5/8"	4-1/4"	3.0"	N/A	N/A	Stud mtg.(v), universal(dbl.)
655-1057	12	5/16	C.C.W.S.E.	1-7/16	4-1/16	3-5/16	3			2-5/16	Heater (nv)
655-1080	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/8"	4-7/8"	4-1/8"	3-1/4"	6.0"	1/2"	Chrysler A/C II
655-1062	12 Vdc	5/16"	Reversible	5/16"	1-13/16"	4-7/8"	4-3/16"	3-1/4"	N/A	N/A	Htr. HD (v)
655-1063	12	5/16	Reversible	1-3/8	4-1/8	3-1/2	3			2-5/16	Htr. Vented
655-1068	12 Vdc	5/16"	C.W.S.E.	5/16"	1-9/16"	4-11/16"	4.0"	3.0"	N/A	N/A	Htr Stud MTG
655-1069	12 Vdc	5/16"	Reversible	5/16"	1-9/16"	4-1/4"	3-3/8"	3.0"	N/A	N/A	Htr. (nv)
655-1072	12 Vdc	5/16"	C.W.S.E.	5/16"	1-11/16"	4-1/4"	3-9/16"	3.0"	N/A	N/A	Htr. 2 spd. (v)
655-1073	12 Vdc	5/16"	C.W.S.E.	5/16"	2-1/4"	4-7/8"	4-3/16"	3-1/4"	2-5/16"	N/A	AC (v)
655-1074	12 Vdc	5/16"	C.W.S.E.	5/16"	2-7/16"	4-7/16"	3-5/8"	3.0"	N/A	N/A	Heater (v)
655-1076	12	3/16	C.W.S.E.	1-13/16	4-1/8	3-3/8	Varies	1-1/4			
655-1079	12	5/16	C.W.S.E.	1-7/16	4-7/8	4-1/8	3-1/4	Varies	1-11/16		Ford A/C flng
655-1081	12 Vdc	5/16"	Reversible	5/16"	2-7/8"	4.0"	3-3/8"	3.0"	N/A	N/A	Dbl. shaft (v)
655-1083	12 Vdc	5/16"	Reversible	5/16"	1-7/16"	4-1/16"	3-5/16"	3.0"	N/A	N/A	Heater (v)
655-1084	12	5/16	C.W.S.E.	1-1/16	4-5/8	3-7/8	Varies	1-1/4			GM A/C flng
655-1085	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-3/8"	4-31/32"	4-3/16"	3-9/32"	6-5/16"	N/A	Heater flng
655-1087	12 Vdc	5/16"	Reversible	5/16"	1-5/8"	3-1/2"	2-7/8"	3.0"	N/A	N/A	Heater (nv)
655-1088	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/16"	4-7/8"	4-1/8"	3-1/4"	7-7/8"	2-3/4"	Ford AC w/BW
655-1089	12 Vdc	5/16"	Reversible	5/16"	1-1/16"	4-7/8"	4-1/8"	3-1/4"	7-7/8"	2-3/4"	Ford A/C flng
655-1090	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/16"	4-7/8"	4-1/8"	3-1/4"	7-7/8"	2-3/4"	Ford A/C flng
655-1095	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-27/32"	4-15/32"	3-27/32"	2-31/32"	N/A	N/A	Stud MTG. (v)
655-1097	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2.0"	4-5/8"	4-1/2"	3.0"	N/A	N/A	M.F. condens
655-1110	12 Vdc	3/8"	C.C.W.S.E.	obs							3 spd.
655-1115	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/16"	4-5/8"	4-1/2"	3-1/8"	Varies	13/16"	GM htr. flng
655-1116	12	5/16	C.C.W.S.E.	1-1/16	4-5/8	3-7/8	3-3/8	Varies	1-1/4		GM A/C flng
655-1121	12 Vdc	5/16"	C.C.W.L.E.	5/16"	3-3/16"	4-13/16"	3-5/8"	3.00"	N/A	N/A	Dbl. shaft clo
655-1123	12 Vdc	5/16"	C.C.W.S.E.	5/16"	3-1/16"	4-1/2"	3-7/8"	3-1/16"	N/A	N/A	Dbl. shaft (v)
655-1140	12 Vdc	7	Reversible	5/16"	1-1/4"	4-7/8"	4-3/16"	3-1/4"	7-7/8"	1-5/8"	Ford A/C flng
655-1141	12 Vdc	5/16"	Reversible	5/16"	1-1/4"	4-5/16	3-9/16"	3-1/4"	7/16"	Ford htr. flng	
655-1145	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-9/16"	4-7/8"	4-3/16"	3-1/4"	Varies	1-1/4"	Chrysler A/C
655-1146	12 Vdc	5/16"	Reversible	5/16"	1-7/16"	4.0"	3-5/16"	3-1/4"	Varies	7/16"	Flng. mtd. (v)
655-1148	12 Vdc	5/16"	C.W.S.E.	1.00"	4-5/16"	3-9/16"	3.00"	2-1/4"	5/8"	N/A	Rad fan lug n
655-1149	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/8"	5.00"	4-3/16"	3-1/4"	N/A	N/A	AC flng. mld
655-1305	12 Vdc	5/16"	C.W.S.F.	1-1/4"	5-1/4"	4-1/2"	3-1/4"	4-7/8"	7/16"	N/A	Ford rad fan
655-1312	24 Vdc	3/8"	C.C.W.L.E.	obs							Dbl. shaft 3 s
655-1315	12 Vdc	5/16"	Reversible	5/16"	1-1/2"	4-3/4"	4.0"	3.0"	N/A	N/A	A/C & HD Ht

# BLOWER/RADFAN MOTORS

No.	Mdl.	Shaft Dia.	Rotation	A	B	C	D	E	F	G	Motor Type
655-1	12 Vdc	5/16"	C.C.W.E.	5/16"	2-7/8"	4-3/4"	4-1/16"	3 0"	N/A	N/A	Dbl. shaft (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-11/16"	4-5/8"	4.0"	3.0"	N/A	N/A	Htr. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/4"	4-5/8"	4-5/8"	3.0"	N/A	N/A	Totally sealed
655-1	24 Vdc	5/16"	C.W.S.E.	5/16"	1-3/4"	4-5/8"	4-5/8"	3.0"	N/A	N/A	Totally sealed
655-1	24 Vdc	5/16"	C.C.W.S.E.	5/16"	1-11/16"	4-5/8"	4.0"	3.0"	N/A	N/A	Htr. (v)
655-1	24 Vdc	5/16"	C.C.W.E.	5/16"	3-1/2"	4-1/8"	3-1/2"	3.0"	N/A	N/A	Dbl. shaft (v)
655-1	12 Vdc	5/16"	Reversible	5/16"	1-3/16"	4-7/8"	4-1/8"	3-1/4"	6.0"	1-9/16"	Chrysler A/C flng. mtd.
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/8"	3-3/4"	3-1/16"	3.0"	N/A	N/A	Htr. (v)
655-1	12 Vdc	8.0m	C.W.S.E.	1/2"	3-1/2"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A	Rad fan flng. mtd.
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	2-1/8"	4-3/4"	4.00"	3.0"	N/A	N/A	AC (v)
655-1	12 Vdc	5/16"	Reversible	5/16"	2-3/16"	4-3/8"	3-5/8"	3.0"	N/A	N/A	Ford AC Stud mtg.
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2-5/16"	4-5/16"	3-9/16"	3.0"	2-5/16"	N/A	AC - Stud mtg. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/16"	4-3/4"	3-5/8"	3.0"	N/A	N/A	Chrysler heater
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	2-1/2"	4-7/8"	4-3/16"	3-1/4"	6-11/16"	13/16"	Flng. mtd. (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/2"	4-7/8"	4-3/16"	3-1/4"	6-11/16"	13/16"	Chrysler htr. fl. mtg (v)
655-1	12 Vdc	5/16"	C.W.S.E.	1-1/8"	4-3/8"	3-5/8"	3.00"	4-1/8"	1-5/8"	N/A	Rad fan lug mtg.
655-1	12 Vdc	5/16"	C.W.S.E.	1-3/16"	3-15/16"	3-5/32"	2-1/2"	3-3/4"	N/A	N/A	Rad fan flng. mtd.
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/16"	3-11/16"	2-7/8"	3.00"	N/A	N/A	Casebolt mtg. (iv)
655-1	12 Vdc	5/16"	C.W.S.E.	1-1/16"	5-3/8"	4-1/2"	3.00"	4-1/8"	1-7/8"	N/A	Rad fan lug. mtg.
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/2"	4-3/8"	3-5/8"	3.0"	6-1/2"	1-3/8"	Flng. mtd. (v)
655-1	12 Vdc	6.8m	C.W.S.E.	6.8mm	1-11/16"	4-1/2"	3-13/16"	3.00"	5-13/16"	1-7/16"	Flng. mtd. (iv)
655-1	12 Vdc	6.8m	C.W.S.E.	6.8mm	2-5/16"	3-13/16"	3-1/16"	3.00"	6-1/16"	1-3/8"	Flng. mtd. (v)
655-1	12 Vdc	6.8m	C.W.S.E.	6.8mm	2-7/16"	4-9/16"	3-13/16"	3.00"	6-1/8"	1-3/16"	Flng. mtd. (iv)
655-1	12 Vdc	6.8m	C.W.S.E.	6.8mm	2-7/16"	4-9/16"	3-3/16"	3.00"	6-1/8"	1-13/16"	Flng. mtd. (v)
655-1	12 Vdc	6.0m	C.C.W.S.E.	6mm	1-5/8"	4-1/16"	3-5/16"	3.00"	Varies	2-3/16"	Flng. mtd. (v)
655-1	12 Vdc	6.0m	C.W.S.E.	6mm	1-13/16"	4-1/8"	3-1/2"	3.00"	Varies	N/A	Flng. mtd. (v)
655-1	12 Vdc	6.0m	C.W.S.E.	6mm	1-7/16"	4-3/16"	3-7/16"	3.00"	Varies	3/4"	Flng. mtd. (v)
655-1	12 Vdc	6.0m	C.C.W.S.E.	7mm	2-1/8"	4-1/16"	3-5/16"	3.00"	6-3/8"	1-5/8"	Flng. mtd. (v)
655-1	12 Vdc	7.0m	C.W.S.E.	5/16"	1-11/16"	4-5/8"	4-5/8"	3.00"	N/A	N/A	Htr. (v)
655-1	24 Vdc	5/16"	C.C.W.L.E.	5/16"	2-7/8"	4-5/8"	4.00"	3.00"	N/A	N/A	Dbl. shaft (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-13/32"	4-5/16"	3-15/16"	3-3/8"	Varies	1-13/32"	GM A/C flng. mtd. w/BW
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/2"	4-13/16"	3-7/8"	3-1/4"	Varies	2-1/16"	
655-1	12 Vdc	8.0m	C.W.S.E.	11/16"	3-7/16"	2-1/2"	2-1/2"	3-1/4"	1-11/16"	N/A	Rad fan, Lug mtg. (iv)
655-1	12 Vdc	12-5/1	N/A	5/16"	1-5/8"	4-5/8"	3-3/4"	3.00"	N/A	1-5/8"	HVAC (v)
655-1	12 Vdc	8.0m	C.W.S.E.	1-1/2"	4-7/16"	3-3/4"	3.00"	4-7/8"	1-1/8"	N/A	Rad fan, flange mtg. (v)
655-1	12 Vdc	8.0m	Reversible	8mm	2-5/16"	3-15/16"	3-3/16"	3-3/8"	6-7/16"	1-1/8"	
655-1	12 Vdc	8.0m	C.W.S.E.	1-5/16"	4-5/8"	3-5/8"	3-1/16"	5-5/16"	1-7/16"	N/A	Rad fan, Lug mtg. (iv)
655-1	12 Vdc	8.0m	C.W.S.E.	1-5/16"	4-1/4"	3-1/2"	3-1/2"	3-3/8"	3-7/8"	15/16"	v
655-1	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-3/4"	4-1/32"	3-13/32"	3-1/4"	N/A	N/A	HVAC drop in style
655-1	12 Vdc	8.0m	C.W.S.E.	13/16"	3-3/16"	3-3/16"	4-1/32"	5-7/16"	1-1/4"	N/A	Rad fan, lug mtg. (v)
655-1	12 Vdc	8.0m	C.W.S.E.	9/16"	3-11/16"	2-5/8"	4-7/16"	5.00"	1-11/16"	N/A	Rad fan, lug mtg. (iv)
655-1	12 Vdc	8.0m	C.C.W.S.E.	1/2"	2-5/16"	1-3/16"	3-15/16"	5-5/16"	2.00"	N/A	Rad fan, lug mtg. (iv)
655-1	12 Vdc	8.0m	C.W.S.E.	5/8"	2-1/4"	2-7/16"	4.00"	5-1/2"	1-11/16"	N/A	
655-1	12 Vdc	8.0m	C.W.S.E.	5/16"	2-1/4"	2-5/16"	4-1/16"	5.00"	1-9/16"	N/A	Rad fan, lug mtg. (iv)
655-1	12 Vdc	8.0m	N/A	5/8"	2-5/8"	2-8/16"	3-15/16"	5-5/16"	2-5/8"	N/A	
655-1	12 Vdc	8.0m	N/A	8mm	1-1/2"	4-15/16"	4-1/2"	3-3/16"	6-11/16"	2-1/16"	
655-1	12 Vdc	1-1/2"	N/A	8mm	1-1/2"	4-15/16"	4-1/2"	3-3/16"	5-9/16"	1-3/4"	
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-5/8"	4-7/16"	3-11/16"	3-11/32"	N/A	N/A	Hvac, flng. mtd. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-1/8"	3-11/16"	3-1/4"	Varies	7/16"	Flng. mtd. (v)
655-1	12 Vdc	8.0m	C.W.S.E.	5/8"	3-1/2"	3-3/16"	4-21/64"	5-9/16"	2-5/8"	N/A	Rad fan flng. mtd.
655-1	12 Vdc	8.0m	C.W.S.E.	5/8"	2-9/16"	4-1/32"	Varies	1.00"	N/A	N/A	Rad fan lug mtd.
655-1	12 Vdc	8.0m	N/A	1/2"	N/A	N/A	4.00"	5-1/16"	2-13/16"	N/A	
655-1	12 Vdc	8.0m	C.W.S.E.	7/8"	2-9/16"	2-7/16"	4.00"	5-1/2"	1-3/8"	N/A	Rad fan, Lug mtg. (v)
655-1	12 Vdc	7/16"	N/A	2-3/8"	1-13/16"	3-15/16"	5-5/16"	1-15/16"	N/A		
655-1	12 Vdc	5/16"	C.C.W.S.E.	1-3/16"	4-1/8"	3-7/3"	3-3/8"	Varies	1-1/4"	N/A	GM A/C flng. mtd.
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/4"	4-3/4"	4-3/16"	3-1/4"	6.00"	1-9/16"	Chrysler A/C flng mtd.
655-1	12 Vdc	5/16"	C.W.S.E.	1-1/8"	4-7/8"	4-1/3"	3-1/4"	Varies	1-11/16"		Ford A/C fl. mt. (v)
655-1	12 Vdc	5/16"	Reversible	1.00"	4-1/2"	3-3/4"	3-1/4"	4-7/8"	7/16"	N/A	Ford rad fan flng. mtd.
655-1	12 Vdc	5/16"	Reversible	1.00"	4-1/2"	3-3/4"	3-1/4"	4-7/8"	7/16"	N/A	Ford rad fan fl. mt.
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/4"	4-3/4"	4-1/8"	3-1/4"	6.00"	1-9/16"	Chrysler A/C
655-1	12 Vdc	8.0m	C.W.S.E.	1/2"	3-1/2"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A	GM rad fan
655-1	12 Vdc	8mm	C.W.S.E.	1/2	4-1/8"	3-3/8"	3-1/4"	Varies	1-9/16"	N/A	GM rad fan
655-1	12 Vdc	8mm	C.W.S.E.	1/2	4-1/8"	3-3/8"	3-1/4"	Varies	1-9/16"	N/A	GM rad fan
655-1	12 Vdc	5/16"	C.W.S.E.	1-1/16"	5-1/4"	4-1/2"	3.00"	4-1/8"	1-3/4"	N/A	Rad fan lug mtg.
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-3/4"	4-3/4"	3-7/8"	3.00"	N/A	2-5/16"	Casebolt mtg. (v)

# BLOWER/RAD FAN MOTORS

Part No.	Volt	Shaft Dia.	Rotation	A	B	C	D	E	F	G	Motor Type
655-1595	12 Vdc	5/16"	Reversible	5/16"	1-1/2"	3-3/4"	3.00"	2-7/8"	N/A	N/A	Ford htr. Stud
655-1596	12	6.8m	Reversible	2-7/16"	3-13/16"	3-1/16"	3	6-1/4"	1-1/4"		Flnge. mtd. (v)
655-1597	12	5/16	C.W.S.E.	1-11/16"	4-7/8"	4-1/8"	3-1/4"	Varies	1/8"		Ford htr. fl. (v)
655-1599	12 Vdc	5/16"	C.C.W.S.E.	1.00"	4-5/8"	3-3/4"	3.00"	4-1/8"	1-5/16"	N/A	Chrysler rad
655-1600	12 Vdc	5/16"	C.C.W.S.E.	1-1/4"	4-3/8"	3-5/8"	3.00"	4-1/8"	1.00"	N/A	Chrysler rad
655-1602	12 Vdc	8.0m	C.C.W.S.E.	1-1/16"	5-3/16"	4-7/16"	3.00"	4-1/8"	1-7/8"	N/A	Chrysler rad
655-1603	12 Vdc	5/16"	C.C.W.S.E.	11/16"	3-1/16"	2-3/8"	4-3/16"	4.00"	N/A	N/A	AMC rad fan
655-1607	12 Vdc	6.8m	C.C.W.S.E.	6.8mm	2-9/16"	3-5/16"	2-9/16"	3.0"	3-5/8"	1-1/4"	Flnge. mtd. (v)
655-1608	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1609	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1611	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1612	12 Vdc	6.8m	C.W.S.E.	6.8mm	2-1/2"	3-13/16"	3-1/16"	3.0"	Varies	1-3/16"	Flnge. mtd. (v)
655-1614	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1615	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	6-1/8"	1-1/4"	Flnge. mtd. (v)
655-1617	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1618	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1619	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	6-1/8"	1-1/4"	Flnge. mtd. (v)
655-1622	12 Vdc	7.0m	C.W.S.E.	7mm	1-5/8"	4-1/16"	3-5/16"	3.0"	Varies	2-3/16"	Flnge. mtd. (v)
655-1625	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-3/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1626	12 Vdc	6.8m	C.W.S.E.	6.8mm	2-1/8"	3-7/16"	2-11/16"	3.0"	6-1/16"	1-1/2"	Flnge. mtd. (v)
655-1630	12 Vdc	7.0m	C.C.W.S.E.	7.0mm	1-1/2"	4-1/4"	3-1/2"	3.0"	6-1/2"	1-3/8"	Flnge. mtd. (v)
655-1631	12	7mm	Reversible	1-1/2	4-11/16	3-15/16	3	6-1/4"	1-13/16		Flnge. mtd. (v)
655-1632	12 Vdc	7.0m	C.W.S.E.	7.0mm	1-9/16"	3-7/8"	3-15/16"	3.0"	Varies	1-5/8"	Flnge. mtd. (v)
655-1634	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1637	12 Vdc	5.9m	Reversible	5.9mm	2-1/4"	3-5/8"	2-7/8"	3.0"	3-5/8"	N/A	Flnge. mtd. (v)
655-1638	12 Vdc	6.8m	Reversible	6.8mm	2-1/4"	3-5/8"	2-7/8"	3	3-5/8"	N/A	Flnge. mtd. (v)
655-1639	12 Vdc	6.8m	Reversible	6.8mm	1-9/16"	3-3/4"	3.0"	3.0"	5-13/16"	1-5/16"	Flnge. mtd. (v)
655-1642	12 Vdc	5/16"	Reversible	5/16"	1-3/16"	4-1/8"	3-7/8"	3-1/4"	Varies	1-1/4"	Flnge. mtd. (v)
655-1643	12 Vdc	5/16"	Reversible	5/16"	1-5/16"	5.0"	4-3/16"	3-11/32"	2-27/32"	N/A	HD sealed (v)
655-1644	12 Vdc	5/16"	C.W.S.E.	7/8"	4-1/2"	3-5/8"	3.00"	4-1/8"	1-1/16"	N/A	Rad fan lug (v)
655-1646	12 Vdc	5/16"	Reversible	5/16"	1-7/8"	4-1/2"	3-13/16"	3.0"	2-5/16"	N/A	Stud mtg. (v)
655-1647	12 Vdc	5/16"	Reversible	5/16"	3/4"	4-3/8"	3-3/8"	3.0"	N/A	N/A	Stud MTG. (v)
655-1650	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/16"	4-1/8"	3-7/8"	3-3/8"	Varies	1-1/4"	GM htr. flng (v)
655-1652	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/16"	4-1/8"	3-7/8"	3-3/8"	Varies	1-1/4"	GM A/C flng (v)
655-1653	12 Vdc	5/16"	Reversible	1.0"	4-1/2"	3-3/4"	3-1/4"	4-7/8"	7/16"	N/A	Ford rad fan
655-1654	12	5/16	Reversible	1-1/8	4-7/8	4-1/8	3-1/4	7-7/8	1-5/8		Ford A/C flng
655-1655	12 Vdc	5/16"	Reversible	5/16"	1-1/4"	4-7/8"	4-3/16"	3-1/4"	7-7/8"	1-5/8"	
655-1656	12	5/16	Reversible	1-3/16	4-7/8	4-1/8	3-1/4	6-5/8	1-11/16		Chrysler htr. (v)
655-1657	12 Vdc	5/16"	C.W.S.E.	1-1/4"	3-3/8"	3-1/16"	3.00"	4-1/8"	1.00"	N/A	Chrysler rad (v)
655-1658	12 Vdc	5/16"	C.W.S.E.	1-1/8"	4-3/8"	3-5/8"	3.00"	4-1/8"	1-5/8"	N/A	Chrysler rad (v)
655-1659	12 Vdc	5/16"	C.W.S.E.	1-1/8"	3-13/16"	3-1/16"	3.00"	4-1/8"	1-9/16"	N/A	Chrysler rad (v)
655-1660	12 Vdc	5/16"	C.W.S.E.	1-1/16"	4-3/4"	4-1/16"	3.00"	4-13/16"	N/A	N/A	AMC rad fan
655-1661	12 Vdc	5/16"	C.W.S.E.	5/8"	2-5/16"	2-1/8"	4-3/16"	4.00"	N/A	N/A	Ford htr. Stud
655-1662	12 Vdc	6.8m	C.W.S.E.	6.8mm	1-9/16"	3-3/4"	3.0"	3.0"	5-13/16"	1-5/16"	Flnge. mtd. (v)
655-1664	12 Vdc	6.8m	Reversible	6.8mm	2-1/2"	3-1/4"	2-1/2"	3.0"	6-1/8"	1-3/16"	Flnge. mtd. (v)
655-1665	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	6-1/4"	1-1/4"	Flnge. mtd. (v)
655-1666	12 Vdc	7.0m	Reversible	7.0mm	2-1/16"	4-3/16"	3-7/16"	3.0"	6-1/4"	1-1/4"	Flnge. mtd. (v)
655-1667	12 Vdc	7.0m	Reversible	7.0mm	2-1/16"	4-3/16"	3-7/16"	3.0"	6-1/4"	1-1/4"	Flnge. mtd. (v)
655-1668	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	6-1/4"	1-3/8"	Flnge. mtd. (v)
655-1669	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	6-1/4"	1-3/8"	Flnge. mtd. (v)
655-1670	24 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1672	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	6-1/4"	1-1/4"	Flnge. mtd. (v)
655-1673	12 Vdc	7.0m	Reversible	7.0mm	2-1/16"	4-3/16"	3-7/16"	3.0"	6-1/4"	1-11/16"	Flnge. mtd. (v)
655-1674	12 Vdc	6.8m	Reversible	6.8mm	2-3/8"	3-13/16"	3-1/16"	3.0"	6-1/4"	1-5/8"	Flnge. mtd. (v)
655-1675	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-5/16"	Flnge. mtd. (v)
655-1676	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	4.0"	3-1/4"	3.0"	Varies	1-5/16"	Flnge. mtd. (v)
655-1677	12 Vdc	6.8m	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.0"	Varies	1-1/4"	Flnge. mtd. (v)
655-1678	12 Vdc	7.0m	C.C.W.S.E.	7.0mm	1-13/16"	4-13/16"	4-1/16"	3.0"	Varies	1-5/16"	Flnge. mtd. (v)
655-1679	12 Vdc	7.0m	C.C.W.S.E.	7.0mm	1-13/16"	4-13/16"	4-1/16"	3.0"	Varies	1-5/16"	Flnge. mtd. (v)
655-1683	12 Vdc	5/16"	C.C.W.S.E.	6/16"	2-1/8"	4-1/2"	3-3/4"	3.0"	N/A	N/A	Htr. 2 spd. (v)
655-1684	12 Vdc	5/16"	C.W.S.E.	5/16"	2-1/8"	4-1/2"	3-3/4"	3.0"	N/A	N/A	Htr. 2 spd. (v)
655-1685	12 Vdc	5/16"	C.C.W.S.E.	6/16"	1-1/4"	3-15/16"	2-11/16"	3.0"	N/A	N/A	Htr. Stud MT
655-1686	24 Vdc	5/16"	C.C.W.S.E.	6/16"	1-1/4"	3-15/32"	2-11/16"	3.0"	N/A	N/A	Htr. Stud MT
655-1687	12 Vdc	1/4"	Reversible	1/4"	1-3/16"	4-9/32"	2-1/2"	3.0"	N/A	N/A	Htr. Stud MT
655-1688	12 Vdc	5/16"	C.C.W.L.E.	5/16"	3-17/32"	4-1/8"	3-1/2"	3.0"	N/A	N/A	Dbl. shaft (v)
655-1689	24 Vdc	5/16"	C.C.W.L.E.	5/16"	2-7/8"	4-5/8"	4-1/32"	3.0"	N/A	N/A	Dbl. shaft (v)
655-1690	12 Vdc	5/16"	C.C.W.L.E.	5/16"	3-1/4"	4-5/8"	4-1/16"	3.0"	N/A	N/A	Dbl. shaft (v)

# BLOWER/RADFAN MOTORS

Part No.	Shaft Dia.	Rotation	A	B	C	D	E	F	G	Motor Type
55-12	12 Vdc	8.0m	C.W.S.E.	1/2"	3-1/2"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A Rad fan flnge. mtd.
55-13	12 Vdc	8mm	C.W.S.E.	1/2"	3-9/16	2-7/8	3-1/4"	Varies	1-9/16"	N/A Rad fan flnge. mtd.
55-14	12 Vdc	8.0m	C.W.S.E.	1/2"	4-1/8"	3-3/8"	3-1/4"	Varies	1-9/16"	N/A Rad fan flnge. mtd.
55-15	12 Vdc	6.0m	C.W.S.E.	6.0mm	2-1/2"	4-1/6"	3-1/2"	3.0"	Varies	3.0" Dbl. shaft
55-16	12 Vdc	8.0m	C.W.S.E.	1-3/16"	4-5/8"	3-7/8"	3.00"	4-7/8"	1-7/8"	N/A Rad fan lug mtg.
55-17	12 Vdc	5/16"	C.W.S.E.	1-3/16"	3-3/16"	2-3/8"	3.00"	4-7/8"	1-7/8"	N/A Rad fan lug mtg.
55-18	12 Vdc	5/16"	C.W.S.E.	1-1/4"	3-1/4"	2-1/2"	3.00"	4-1/8"	1-1/16"	N/A Chrysler rad fan
55-19	32 Volt	1/4"	Reversible	1/4"	1-25/32"	3-3/4"	2-27/32"	3.00"	N/A	N/A Htr. Stud MTG. (nv)
55-20	12 Vdc	5/16"	C.W.S.E.	5/16"	3-11/16"	3-5/8"	2-7/8"	3.00"	N/A	N/A Stud MTG. s.e.
55-21	12 Vdc	8.0m	C.W.S.E.	1.00"	4-1/2"	3-3/4"	3.00"	4-7/8"	1-5/8"	2-5/16" Chrysler rad fan
55-22	12 Vdc	8.0m	C.W.S.E.	1-7/16"	4-1/2"	3-3/4"	3.00"	4-7/8"	1-5/8"	2-5/16" Chrysler rad fan
55-23	12 Vdc	8.0m	C.W.S.E.	15/16"	4-29/32"	4.00"	3.00"	4-7/8"	1-5/8"	2-5/16" Chrysler rad fan
55-24	12 Vdc	5/16	C.C.W.S.E.	2-13/16	3-5/32	2-3/16	3-3/8	Varies	1-5/32	Flinge. mtd. w/BW
55-25	12 Vdc	8.0m	C.W.S.E.	1-7/16"	5-3/16"	4-1/2"	3.00"	4-1/8"	1-7/8"	N/A Chrysler rad fan
55-26	12 Vdc	8.0m	C.W.S.E.	1/2"	3.00"	3.00"	4-3/8"	5-5/16"	1-5/8"	N/A Flinge mtd. (v),
55-27	12 Vdc	8.0m	C.W.S.E.	5/8"	4-7/8"	3-3/8"	4-3/8"	5-1/2"	2-5/8"	N/A Flange mtd. (v), 4 pole
55-28	12 Vdc	8.0m	C.W.S.E.	1/2"	3-3/4"	3-1/2"	4-3/8"	Varies	2-5/8"	N/A Rad fan flngue mtd., 2spd
55-29	12 Vdc	1/2"		2-3/4"	2-1/2"	3-15/16"	4-3/4"	1-7/16"	N/A	
55-30	12 Vdc			N/A	N/A	N/A	N/A	N/A	N/A	
55-31	12 Vdc			1/2"	3-3/8"	3-1-16"	3-15/16"	6.00"	1-3/16"	N/A 0
55-32	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/16"	4-3/4"	4-1/4"	3-1/8"	N/A	N/A A/C flngue. mtd.
55-33	12 Vdc	5/16	C.C.W.S.E.	3-1/8	4-5/16	3-5/8	3-3/8	Varies	1-5/64	Flinge. mtd.
55-34	12 Vdc	5/16	Reversible	1-7/16	4-7/16	3-11/16	3-1/4	Varies	13/16	Heater (v)
55-35	12 Vdc	8.0m	C.W.S.E.	1-3/16"	4-7/8"	4-1/8"	3-1/4"	6-5/8"	1-11/16"	N/A Rad fan flngue. mtd.
55-36	12 Vdc	8.0m	C.W.S.E.	1/2"	3-11/16"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A Rad fan flngue. mtd.
55-37	12 Vdc	8.0m	C.W.S.E.	1/2"	3-9/16"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A Rad fan flngue. mtd.
55-38	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/4"	4-5/8"	4.0"	3.0"	N/A	N/A HD totally sealed
55-39	24 Vdc	5/16"	C.W.S.E.	5/16"	1-3/4"	4-5/8"	4.0"	3.0"	N/A	N/A HD totally sealed
55-40	12 Vdc	5/16	C.W.S.E.	1-1/4	3-7/8	3-1/8	3	4-1/8	1-11/16	Chrysler rad fan
55-41	12 Vdc	5/16"	C.W.S.E.	1-3/16"	4-1/2"	3-3/4"	3.00"	4-1/8"	1-11/16"	N/A Chrysler Rad. Fan
55-42	12 Vdc	8.0m	C.W.S.E.	1-5/16"	4-7/8"	4-1/8"	3.00"	N/A	N/A	2-5/16" Chrysler rad fan
55-43	12 Vdc	6.8m	Reversible	6.8mm	2-3/8"	3-3/4"	3.0"	2-3/4"	2.0"	1-3/8" Flinge. mtd. (v)
55-44	12 Vdc	6.8m	Reversible	6.8mm	2-3/8"	3-3/4"	3.0"	2-3/4"	2.0"	1-3/8" Flinge. mtd. (v)
55-45	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-5/16"	4-5/16"	3-1/2"	3-1/4"	Varies	1-3/16" Flinge. mtd. (v)
55-46	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-7/8"	4-1/16"	3-5/16"	3-1/4"	Varies	1-1/4" Flinge. mtd. (v)
55-47	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-15/16"	4-7/16"	3-11/16"	3-1/4"	Varies	1-3/16" Flinge. mtd. (v)
55-48	12 Vdc	5/16	C.C.W.S.E.	1-15/16	4-7/16	3-11/16	3-1/4	Varies	1-3/16	1-3/16" Flinge. mtd. (v)
55-49	12 Vdc	5/16	Reversible	2-1/2	3-3/4	3-1/16	3	Varies	1-3/8	1-3/8" Flinge. mtd.
55-50	12 Vdc	5/16	C.W.S.E.	1-13/32	4-5/16	3-15/16	3-3/8	Varies	1-13/32	GM A/C flngue. mtd. w/BW
55-51	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2-5/8"	4-5/16	3-15/16"	3-3/8"	Varies	1-13/32" GM A/C flngue. mtd. w/BW
55-52	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-1/2"	3-11/16"	3-1/4"	Varies	3/4" Flinge. mtd. (v)
55-53	12 Vdc	5/16	C.W.S.E.	1-1/2	4-1/2	3-11/16	3-1/4	Varies	1/2	Flinge. mtd. (v)
55-54	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/4"	4-3/4"	4-3/16"	3-1/4"	6.0"	1-9/16" Flinge. mtd. A/C (v)
55-55	12 Vdc	5/16"	C.W.S.E.	1-3/16"	4-3/16"	3-1/2"	3.00"	4-5/16"	1-5/8"	2-27/32" Lug mtg. (iv)
55-56	12 Vdc	5/16"	C.W.S.E.	1-3/16"	3-1/2"	2-13/16	3.00"	4-5/16"	1-5/8"	2-27/32" Lug mtg. (iv)
55-57	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2.0"	4-3/4"	4-1/16"	3.0"	N/A	N/A Stud MTG. (v)
55-58	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-11/16"	4-5/8"	4.0"	3.0"	Varies	N/A Stud MTG. (v)
55-59	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-3/4"	3-5/8"	3.0"	3.0"	Varies	N/A Stud MTG. (nv)
55-60	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-9/16"	4-7/8"	4-1/4"	3.0"	Varies	N/A Stud MTG. (v)
55-61	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-5/8"	4-5/8"	4.0"	3.0"	Varies	N/A Stud MTG. (v)
55-62	12 Vdc	5/16"	C.W.S.E.	5/16"	1-9/16"	3-7/8"	3-3/16"	3.0"	N/A	N/A Stud mtg. (v)
55-63	12 Vdc	5/16"	C.W.L.E.	5/16"	3-1/16"	5-1/2"	4-7/8"	3.0"	N/A	N/A Dbl. shaft (nv)
55-64	12 Vdc	5/16"	C.C.W.L.E.	5/16"	2-1/4"	4-3/4"	4-1/8"	3.0"	N/A	N/A Dbl. shaft (nv)
55-65	12 Vdc	5/16"	C.C.W.L.E.	5/16"	3-1/4"	5-1/8"	4-1/2"	3.0"	N/A	N/A Dbl. shaft (v)
55-66	12 Vdc	5/16"	C.C.W.L.E.	5/16"	3-1/4"	5-3/16"	4-9/16"	3.0"	N/A	N/A Stud mtg. Dbl. shaft
55-67	12 Vdc	5/16"	C.C.W.L.E.	5/16"	4.0"	4-5/8"	4.0"	3.0"	Varies	N/A Dbl. shaft
55-68	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2.0"	4-11/16"	4-1/16"	3.0"	N/A	N/A Stud mtg. Dbl. shaft
55-69	12 Vdc	5/16"	C.W.S.E.	5/16"	2-1/4"	4-11/16"	4-1/16"	3.0"	N/A	N/A Stud mtg. (v)
55-70	12 Vdc	5/16"	C.C.W.S.E.	5/16"	3-1/2"	3-1/2"	2-1/2"	1-13/16"	1/2"	2.00" Rad fan fl. mtg
55-71	12 Vdc	8mm	Reversible	1-7/16	4-1/2	3-1/2	2-3/4	3-17/32	1-1/2	Rad fan lug mtg (nv)
55-72	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/2"	4.0"	3-3/8"	3.0"	Varies	1-7/8" Flinge. mtd. (v)
55-73	12 Vdc	5/16	C.C.W.S.E.	1/2	4	3-3/8	3	Varies	1-3/8	2-5/16" Flinge. mtd. (v)
55-74	12 Vdc	5/16"	C.W.S.E.	5/16"	2.0"	3-5/32"	3-15/16"	3-3/8"	Varies	1-13/32" GM flngue. Mtd. w/BW
55-75	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-13/32"	4-5/16"	3-15/16"	3-3/8"	Varies	1-13/32" GM A/C flngue. mtd. w/BW
55-76	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2-1/8"	4-5/16"	3-15/16"	3-1/8"	Varies	1-13/32" GM A/C flngue. mtd. w/BW
55-77	12 Vdc	5/16	C.W.S.E.	2-1/8	4-5/16	3-15/16	3-3/8	Varies	1-13/32	GM flngue. Mtd. w/BW
55-78	12 Vdc	5/16	C.W.S.E.	2-1/8	4-5/16	3-15/16	3-3/8	Varies	1-13/32	GM A/C flngue. mtd. w/BW

# BLOWER/RADFAN MOTORS

Part No.	Volt	Shaft Dia.	Rotation	A	B	C	D	E	F	G	Motor Type
555-1779	12 Vdc	5/16"	C.W.S.E.	5/16"	2-1/8"	4-5/16"	3-15/16"	8-1/8"	Varies	1-13/32"	GM A/C flnge. mtd.
555-1780	12 Vdc	5/16"	C.W.S.E.	5/16"	1-13/32"	4-5/16"	3-15/16"	3-3/8"	Varies	1-13/32"	GM flnge. Mtd w/F
555-1781	12	5/16	C.C.W.S.E.	1-15/32"	4-5/16"	3-15/16"	3-3/8"	Varies	1-13/32"	GM A/C flnge. mtd.	
555-1782	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-13/32"	4-5/16"	3-15/16"	3-3/8"	Varies	1-13/32"	GM A/C flnge. mtd.
555-1783	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-5/16"	3-5/8"	3-0"	Varies	1-1/2"	Chrysler A/C, flnge.
555-1784	12	5/16	Reversible	1-11/16"	3-5/6	3-1/3	3	Varies	6-1/4"	2-5/16"	Flnge. mtd. (v)
555-1785	12 Vdc	8.0m	C.W.S.E.	1-1/2"	4-3/4"	4.00"	3.00"	Varies	N/A	2-5/16"	GM rad fan
555-1786	12	8mm	C.W.S.E.	1/2"	4-1/8	3-3/8	3-1/4	Varies	1-9/16		GM rad fan
555-1787	12 Vdc	8.0m	C.W.S.E.	1/2"	3-1/2"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A	GM rad fan
555-1788	12 Vdc	5/16"	C.W.S.E.	1-3/16"	4-3/16"	3-1/2"	3.00"	4-5/16"	1-5/8"	2-27/32"	Rad fan lug mtg. (n)
555-1789	12 Vdc	5/16"	C.W.S.E.	1-1/4"	4-1/2"	3-7/8"	3.00"	5-5/16"	1-13/32"	2-5/16"	Rad fan flnge. mtd.
555-1790	12 Vdc	5/16"	C.W.S.E.	27/32"	3-23/32"	3-11/32"	4-7/16"	5-1/2"	2-23/32"	N/A	Ford rad fan
555-1791	12 Vdc	5/16"	C.W.S.E.	29/32"	3-9/16"	3-7/32"	4-11/32"	5-1/2"	2-19/32"	N/A	Ford rad fan
555-1792	12 Vdc	5/16"	C.W.S.E.	3/4"	3-11/16"	3-5/16"	4-7/16"	5-1/2"	2-23/32"	N/A	Ford rad fan
555-1793	12 Vdc	5/16"	C.W.S.E.	13/16"	3-9/32"	3-1/4"	4-7/16"	5-1/2"	2-19/32"	N/A	Ford rad fan
555-1794	12 Vdc	5/16"	C.W.S.E.	13/16"	3-19/32"	3-1/4"	4-7/16"	5-1/2"	2-15/16"	N/A	Ford rad fan
555-1795	12 Vdc	5/16"	C.W.S.E.	5/8"	3-3/4"	3-1/4"	4-3/8"	5-1/2"	2-21/32"	N/A	Ford rad fan
555-1796	12 Vdc	5/16"	C.W.S.E.	13/16"	3-5/8"	3-9/32"	4-3/8"	5-1/2"	2-21/32"	N/A	Ford rad fan
555-1797	12 Vdc	5/16"	C.W.S.E.	26/32"	3-19/32"	3-1/4"	4-7/16"	5-1/2"	2-21/32"	N/A	Ford rad fan
555-1798	12 Vdc	5/16"	C.W.S.E.	1/2"	3-3/4"	3-5/16"	4-7/16"	5-1/2"	2-1/2"	N/A	Ford rad fan
555-1799	12 Vdc	5/16"	C.W.S.E.	53/64"	3-5/8"	3-9/32"	4-7/16"	5-1/2"	3-7/16"	N/A	Ford rad fan
555-1800	12 Vdc	5/16"	C.W.S.E.	1/2"	3-21/32"	3-5/16"	4-7/16"	5-1/2"	2-17/32"	N/A	Ford rad fan
555-1801	12 Vdc	5/16"	C.W.S.E.	1-3/16"	3-19/32"	3-1/4"	4-7/16"	5-1/2"	2-21/32"	N/A	Ford rad fan
555-1802	12 Vdc	5/16"	C.W.S.E.	29/32"	3-5/8"	3-9/32"	4-14/32"	5-1/2"	2-1/2"	N/A	Ford rad fan
555-1803	12 Vdc	5/16"	C.W.S.E.	29/32"	3-1/2"	3-5/32"	4-3/8"	5-1/2"	2-9/16"	N/A	Ford rad fan
555-1804	12 Vdc	5/16"	C.W.S.E.	17/32"	2-1/8"	2-3/4"	4-7/16"	5-1/2"	2-5/32"	N/A	Ford rad fan
555-1807	12 Vdc	5/16"	C.W.S.E.	9/16"	2-25/32"	2-9/16"	4-15/32"	5-8/32"	2-3/32"	N/A	Ford rad fan
555-1808	12 Vdc	8.0m	C.W.S.E.	11/16"	3-1/16"	2-3/8"	4-3/16"	N/A	N/A	N/A	Ford rad. fan
555-1809	12 Vdc	8.0m	C.W.S.E.	1/2"	3-1/2"	2-7/8"	3-1/4"	Varies	1-19/16"	N/A	Rad fan flnge. mtd.
555-1810	12 Vdc	8.0m	C.W.S.E.	1/2"	3-1/2"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A	Rad fan flnge. mtd.
555-1811	12 Vdc	8.0m	C.W.S.E.	1/2"	4-1/8"	3-3/8"	3-1/4"	Varies	1-9/16"	N/A	GM rad fan
555-1812	12 Vdc	5/16"	C.W.S.E.	1-3/16"	3-15/16"	3-5/32"	2-1/2"	3-3/4"	N/A	N/A	Rad fan flnge. mtd.
555-1813	12 Vdc	5/16"	C.W.S.E.	1-1/4"	4-1/2"	3-7/8"	3.0"	5-5/16"	1-13/32"	2-5/16"	Rad fan flnge. mtd.
555-1814	12 Vdc	5/16"	C.W.S.E.	1-1/4"	4-7/8"	4-1/4"	3.00"	3-31/32"	1-9/16"	2-5/16"	Chrys. rad fan
555-1815	12 Vdc	8.0m	Reversible	1-3/8"	4-1/8"	3-1/8"	2-3/4"	3-17/32"	1-3/8"	2-5/16"	Rad fan flnge. mtd. (l)
555-1816	12 Vdc	6.8m	C.W.S.E.	1-11/16"	4-3/32"	3.00"	2-3/4"	3-17/32"	1-3/4"	N/A	Rad fan. Lug mtg. (l)
555-1817	12 Vdc	6.8m	C.W.S.E.	1-13/16"	4-1/2"	3-1/2"	2-3/4"	2.00"	1-5/32"	N/A	Rad fan. flnge. mtd.
555-1840	12	8mm	C.C.W.S.E.	11/16"	3-29/32	3-15/16	4-13/32	5-1/2"	2-7/8		Rad fan flnge. mtd.
555-1841	12 Vdc	8.0m	C.W.S.E.	1/2"	3-11/16"	3-5/16"	4-11/32"	5-1/2"	2-13/16"	N/A	Rad fan flnge. mtd.
555-1842	12 Vdc	8.0m	C.W.S.E.	15/16"	3-17/32"	3-11/32"	4-11/32"	5-1/2"	2-5/8"	N/A	Rad fan flnge. mtd.
555-1843	12 Vdc	8.0m	C.W.S.E.	15/16"	3-7/32"	2-29/32"	4-11/32"	5-1/2"	2-5/8"	N/A	Rad fan flnge. mtd.
555-1844	12 Vdc	8.0m	C.W.S.E.	15/32"	4-1/32"	3-11/16"	4-11/32"	5-1/2"	2-1/2"	N/A	Rad fan flnge. mtd.
555-1845	12 Vdc	8.0m	C.W.S.E.	11/16"	2-31/32"	2-11/16"	4-11/32"	5-1/2"	2-3/32"	N/A	Rad fan flnge. mtd.
555-1846	12 Vdc	8.0m	C.W.S.E.	13/16"	3-7/16"	3-3/32"	4-11/32"	5-1/2"	2-1/2"	N/A	Rad fan flnge. mtd.
555-1847	12 Vdc	8.0m	C.W.S.E.	7/16"	3-5/8"	3-5/16"	4-11/32"	5-1/2"	2-5/8"	N/A	Rad fan flnge. mtd.
555-1848	12 Vdc	8.0m	C.W.S.E.	5/8"	3-7/8"	3-5/8"	4-21/64"	5-1/2"	2-1/2"	N/A	Rad fan flnge. mtd.
555-1850	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/16"	4-11/16"	3-15/16"	3.0"	Varies	1.0"	Flnge. mtd. (v)
555-1851	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/16"	4-5/8"	3-7/8"	3-3/8"	Varies	1-1/4"	GM A/C flnge. mtd.
555-1852	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/16"	4-1/8"	3-7/8"	3-3/8"	Varies	1-1/4"	GM A/C flnge. mtd.
555-1853	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/2"	4-1/2"	3-11/16"	3-1/4"	Varies	1-13/16"	Ford A/C flnge. mtd.
555-1854	12	5/16	Reversible	1-1/2	4 29/32	4-5/32	3-1/4	6 29/32	1 3/4		Flnge. mtd. (v)
555-1855	12 Vdc	5/16"	Reversible	5/16"	1-1/16"	3-7/8"	3-1/8"	3-1/4"	Varies	15/32"	Flnge. mtd. (v)
555-1866	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-15/32"	4-7/8"	4-1/8"	3-1/4"	Varies	15/32"	Flnge. mtd. (v)
555-1857	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-17/32"	4-7/8"	3-7/8"	3-1/4"	Varies	1-3/4"	Ford A/C flnge. mtd.
555-1859	12 Vdc	8.0m	Reversible	8mm	1-23/32	4-17/32"	3-17/32"	2-3/4"	N/A	N/A	Sgl. shaft (v)
555-1861	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-15/16"	4-7/16"	3-11/16"	3-1/4"	7-3/32"	1-11/32"	Flnge. mtd. (v)
555-1862	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-15/16"	4-9/32"	3-17/32"	3-1/4"	6-25/32	1-11/32"	Flnge. mtd. (v)
555-1863	12 Vdc	5/16"	C.W.S.E.	5/16"	1-15/16"	4-7/16"	3-11/16"	3-1/4"	7-3/32"	1-11/32"	Flnge. mtd. (v)
555-1865	12 Vdc	5/16"	C.W.S.E.	5/16"	1-15/16"	4-13/32"	3-21/32"	3.0"	N/A	N/A	Sgl. shaft (v)
555-1866	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-3/4"	4-3/8"	3-5/8"	3.0"	N/A	N/A	Lug mtg. (v)
555-1867	12 Vdc	5/16"	Reversible	5/16"	1-1/2"	4-5/16"	3-9/16"	3.0"	N/A	N/A	Sgl. shaft (v)
555-1868	12 Vdc	5/16"	C.C.W.L.I.	5/16"	3-9/32"	4-1/4"	3-1/2"	3.00"	N/A	N/A	Dbl. shaft (v)
555-1869	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-5/8"	4-5/16"	3-9/16"	3.0"	6-9/16"	1-31/32"	Flnge. mtd. (v)
555-1870	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-5/16"	3-9/16"	3.0"	6-9/16"	1-31/32"	Flnge. mtd. (v)
555-1871	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/4"	3-13/16"	3-9/16"	3.0"	6-1/4"	1-7/16"	Flnge. mtd. (v)
555-1872	12 Vdc	5/16"	C.W.S.E.	5/16"	1-11/16"	4-1/16"	3-5/16"	3.0"	6-1/4"	1-7/8"	Flnge. mtd. (v)
555-1873	12 Vdc	5/16"	Reversible	5/16"	1-5/8"	4-3/16"	3-7/16"	3.0"	6-1/4"	1-31/32"	Flnge. mtd. (v)

# BLOWER/RADIAN MOTORS

Part #	Volt	Shaft Dia.	Rotation	A	B	C	D	E	F	G	Motor Type
655-1	12 Vdc	5/16"	Reversible	5/16"	2-7/16"	3-13/16"	3-1/16"	3.0"	6-3/32"	1-1/4"	Finge. mtd. (nv)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-3/4"	4-19/32"	3-27/32"	3.0"	Varies	1-9/32"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-9/16"	4-5/8"	3-7/8"	3.0"	Varies	1-11/16"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-5/8"	3-7/8"	3.0"	Varies	1-7/8"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-3/8"	3-5/8"	3.0"	6-3/32"	13/16"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	Reversible	5/16"	2-7/16"	3-13/16"	3-1/16"	3.0"	6-1/4"	1-1/4"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-9/16"	4-5/8"	3-7/8"	3.0"	Varies	2-23/32"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/4"	4-3/8"	3-9/16"	3.0"	3-9/32"	1-31/32"	GM flnge. mtd. w/BW
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/16"	4-3/4"	4-1/4"	3-1/8"	N/A	N/A	A/C flnge. mtd.
655-1	12 Vdc	5/16"	Reversible	5/16"	1-7/16"	4.0"	3-15/16"	3-1/4"	Varies	7/16"	Finge. mtd. (v)
655-1	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-5/8"	4-1/4"	3-5/8"	3-1/4"	4-5/16"	1-5/8"	Hvac (v)
655-1	12 Vdc	8.0m	C.W.S.E.	15/16"	4-5/16"	3-3/4"	3-1/4"	4-5/16"	1-5/8"	2-27/32"	Rad fan flnge. mtd.
655-1	12 Vdc	5/16"	C.W.S.E.	1-3/8"	4-5/8"	3-3/4"	3-1/4"	4-5/8"	1-5/8"	2-27/32"	Rad fan flnge. mtd.
655-1	12 Vdc	8.0m	C.W.S.E.	1-1/2"	4-1/32"	3-13/32"	3.00"	4-5/16"	1-7/32"	N/A	Rad fan flnge. mtd.
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-9/16"	4-3/8"	3-3/4"	3.0"	7-19/32"	2-17/32"	Hvac (v)
655-1	12 Vdc	11.0m	C.W.S.E.	1-3/8"	4-3/8"	3-3/4"	3.00"	4-27/32"	1-7/32"	N/A	Rad fan flnge. mtd.
655-1	12 Vdc	6.0m	C.C.W.S.E.	8mm	1-1/2"	4-7/16"	3-13/16"	3.0"	6-1/4"	17/32"	Mtg. flnge (nv)
655-1	12 Vdc	5/16"	C.W.S.E.	1-5/16"	4-1/4"	3-11/16"	3.00"	N/A	N/A	2-5/16"	Rad lug mtd.
655-1	12 Vdc	8.0m	C.W.S.E.	5.85mm	97mm	75mm	112mm	146mm	52mm	N/A	Lug mtd. (v), 4pole
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-7/8"	4-9/16"	3-7/8"	3.0"	N/A	N/A	Stud mtd. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-21/32"	4-1/4"	3-5/8"	3.0"	6-1/4"	1-15/16"	Finge. mtd. (v)
655-1	12 Vdc	8.0m	C.W.S.E.	8mm	1-1/2"	4-5/16"	3-3/4"	3.0"	6-1/4"	1-7/8"	Finge. mtd. (v)
655-1	12 Vdc	3.0m	C.C.W.S.E.	8mm	1-1/32"	3-5/16"	2-11/16"	3.0"	6-1/16"	1-15/16"	Finge. mtd. (nv)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-25/32"	4-1/2"	3-3/4"	3-1/4"	Varies	1-17/32"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-11/16"	4-5/32"	3-13/32"	3.0"	N/A	N/A	Sgl. shaft (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-27/32"	4-3/32"			N/A	N/A	Sgl. shaft (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	2-3/32"	4-19/32"	3-27/32"	3.0"	N/A	N/A	Sgl. shaft (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-29/32"	4-13/32"	3-21/32"	3.0"	N/A	N/A	Sgl. shaft (v)
655-1	12 Vdc	5/16"	Reversible	5/16"	1-7/16"	4-3/8"	3-5/8"	3.0"	N/A	N/A	Sgl. shaft (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-19/32"	4-3/4"	4.0"	3.0"	N/A	N/A	Sgl. shaft (nv)
655-1	12 Vdc	5/16"	C.W.L.E.	5/16"	4-31/32"	4-7/32"			N/A	N/A	Dbl. shaft (v)
655-1	24 Vdc	5/16"	C.C.W.L.E.	5/16"	2-5/16"	4-13/32"	3-21/32"	3.0"	N/A	N/A	Dbl. shaft (nv)
655-1	12 Vdc	5/16"	C.W.L.E.	5/16"	3-17/32"	4-1/16"	3-5/16"	3.0"	N/A	N/A	Dbl. shaft (v)
655-1	12 Vdc	5/16"	C.C.W.L.E.	5/16"	2-25/32"	5-7/32"	4-15/32"	3.0"	N/A	N/A	Dbl. shaft (v)
655-1	12 Vdc	5/16"	C.C.W.L.E.	5/16"	3-9/32"	5-17/32"	4-15/32"	3.0"	N/A	N/A	Dbl. shaft (v)
655-1	12 Vdc	5/16"	C.C.W.L.E.	5/16"	5-5/8"				N/A	N/A	Dbl. shaft (nv)
655-1	24 Vdc	5/16"	C.C.W.S.E.	5/16"	2-1/16"	3-13/32"	2-21/32"	3.0"	3-21/32"	N/A	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2-1/4"	3-9/16"	2-7/8"	3.0"	6-1/16"	1-7/16"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2-5/16"	3-5/8"	3-1/4"	3.0"	N/A	1-7/16"	Finge. mtd. (v)
655-1	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-5/8"	4-3/16"	3-3/8"	3.0"	Varies	1-5/16"	Finge. mtd. (v)
655-1	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-3/4"	4-1/32"	3-13/32"	3-1/4"	N/A	N/A	Hvac drop in style
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-5/8"	4-1/4"	3-5/8"	3.0"	7.0"	1-1/8"	Hvac (v)
655-1	12 Vdc	8.0m	C.W.S.E.	1-9/16"	3-13/16"	3-1/4"	3.00"	4.00"	3/4"	2-5/16"	Rad fan flnge. mtd.
655-1	12 Vdc	8.0m	C.W.S.E.	1-9/16"	3-13/16"	3-1/4"	3.00"	4.00"	3/4"	2-5/16"	Rad fan flnge. mtd.
655-1	12 Vdc	8.0m	C.C.W.L.E.	1-1/4"	4-1/16"	3-3/16"	2-3/4"	3-15/16"	1-5/16"	N/A	Rad fan flnge. mtd.
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/4"	4.0"	5.0"	3-1/4"	Varies	2-1/8"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	Reversible	5/16"	1-1/2"	4-7/8"	3-13/16"	3-1/4"	N/A	3-1/16"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/2"	4-7/8"	3-13/16"	3-1/4"	7-1/4"	3-3/8"	Finge. mtd. (v)
655-1	12 Vdc	8mm	C.W.S.E.	3/8	2-3/8	2-3/8	4-21/64	5-13/16	1-1/2		Rad fan flnge. mtd.
655-1	12 Vdc	8.0m	C.W.S.E.	3/4"	2-9/16"	2-1/2"	4-21/64"	5-5/8"	2.00"	N/A	Rad fan flnge. mtd.
655-1	12 Vdc	8.0m	C.W.S.E.	3/4"	2-9/16"	2-1/2"	4-21/64"	5-5/16"	2.00"	N/A	Rad fan flnge. mtd.
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/2"	4-7/8"	3-13/16"	3-1/4"	6-5/8"	2-5/16"	Finge. mtd. (v)
655-1	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-17/32"	4-1/8"	3-1/2"	2-3/4"	N/A	N/A	Hvac (v)
655-1	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-5/8"	3-3/4"	3-1/8"	2-3/4"	N/A	N/A	Hvac (v)
655-1	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-5/8"	4-1/4"	3-5/8"	3-1/4"	6-13/16"	1-7/8"	Hvac (v)
655-1	12 Vdc	8.0m	C.W.S.E.	8mm	1-1/2"	4-5/32"	3-17/32"	3-1/4"	7-1/16"	1-13/16"	Hvac flnge mtg.
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-23/32"	4-3/4"	4-1/8"	3-1/4"	6-7/8"	1-13/32"	Hvac (v)
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/4"	4-5/32"	3-17/32"	2-3/4"	N/A	N/A	Hvac drop in style
655-1	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-3/8"	3-3/4"	3.0"	8-1/4"	1.0"	Hvac (v)
655-1	12 Vdc	8.0"	C.C.W.S.E.	8mm	1-5/8"	4-3/16"	3-9/16"	3.0"	N/A	N/A	Hvac (v)
655-1	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2-3/8"	4-3/8"	3-9/16"	3.0"	Varies	1-5/8"	Finge. mtd. (v)
655-1	12 Vdc	5/16"	Reversible	5/16"	1-3/16"	4-7/8"	4-1/8"	3-1/4"	6.0"	1-9/16"	Htr. 2 spd. (v)
655-1	12 Vdc	5/16"	C.C.W.L.E.	5/16"	2-5/8"	4.0"	3-3/8"	3.0"	N/A	N/A	Bracket mtd. (v), dbl. Shaft offset
655-1	12	5/16	C.C.W.L.E.	2-3/4	4-1/2	3-1/4	2-5/16				Open frame, dbl. Shft, w/bw's
655-1	12 Vdc	8.0m	C.C.W.L.E.	8mm	1-3/8"	4-1/2"	3-7/8"	3.0"	N/A	N/A	Dbl. shaft (v)

# BLOWER/RADEAN MOTORS

Part No.	Volt	Shaft Dia.	Revol/s	A	B	C	D	E	F	G	Motor Type
655-2020	12 Vdc	5/16"	Reversible	5/16"	1-9/16"	3-7/8"	3-1/8"	3.0"	2-5/16"	N/A	Cast bolt mtg. (2 spd)
655-2021	12 Vdc	1/4"	Reversible	1/4"	1-13/16"	4-3/16"	3-3/8"	3.0"	N/A	N/A	Universal
655-2022	12 Vdc	8.0m	C.W.S.E.	8mm	1-1/2"	5.0"	4.0"	2-1/2"	N/A	N/A	Open Flame
655-2023	12 Vdc	5/16"	Reversible	5/16"	1-7/8"	4-3/8"	3-3/4"	3-1/4"	Varies	1-7/16"	Finge. mtg. (v)
655-2024	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-5/8"	4-5/16"	3-5/8"	3.0"	N/A	N/A	Stud mtg. (v)
655-2025	12 Vdc	8.0m	C.C.W.S.E.	8mm	1-5/8"	4.0"	3-13/16"	3.0"	N/A	N/A	Stud mtg. (v)
655-2026	12 Vdc	8.0m	C.C.W.S.E.	8mm	2-1/8"	4-3/16"	3-1/8"	2-3/4"	3-1/2"	1-3/8"	Finge. mtg. (v)
655-2027	12 Vdc	5/16"	C.W.S.E.	5/16"	1-7/8"	4-1/2"	3-7/8"	3.0"	4-1/8"	1-1/4"	Finge. mtg. (v)
655-2028	12 Vdc	8.0m	C.W.S.E.	8mm	2-5/8"	2-1/2"	4-7/16"	5-1/4"	2.00"	N/A	Rad fan (V) Lug w
655-2030	12 Vdc	6.8m	Reversible	1-13/16"	4-1/2"	3-1/2"	2-3/4"	2.00"	1-5/32"	N/A	Rad fan flnge. mtg
655-2031	12 Vdc	8.0m	C.W.S.E.	7/16"	4-1/4"	3-11/16"	2-3/4"	3-15/16"	2-1/8"	N/A	Rad fan flnge. mtg
655-2032	12 Vdc	8.0m	C.C.W.S.E.	1/2"	31-2"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A	Rad fan, flnge mtg
655-2033	12 Vdc	8.0m	C.W.S.E.	0.5"	3-5/8"	3-1/4"	4-21/64"	5-5/8"	2-3/4"	N/A	Rad fan flnge. mtg
655-2034	12 Vdc	8.0m	C.W.S.E.	3/4"	3-1/2"	3-1/8"	4-21/64"	5-1/2"	2-1/2"	N/A	Rad fan flnge. mtg
655-2040	12 Vdc	5/16"	C.W.S.E.	5/16"	N/A	N/A	N/A	N/A	N/A	N/A	Motor, blower wheel and Cage Assy.
655-2041	12 Vdc	5/16"	C.C.W.S.E.	5/16"	N/A	N/A	N/A	N/A	N/A	N/A	Motor, blower wheel and Cage Assy.
655-2042	12 Vdc	1/4"	C.C.W.S.E.	1/4"	3-7/16"	2-1/2"	3.0"	5-1/2"	10-1/2"	N/A	Motor, blower wheel and Cage Assy.
655-2043	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2-1/2"	3-1/2"	2-3/4"	6-1/4"	5-1/2"	N/A	Motor, blower wheel and Cage Assy.
655-2044	12 Vdc	5/16"	C.C.W.S.E.	N/A	Motor, blower wheel and Cage Assy.						
655-2045	12 Vdc	6.8m	C.W.S.E.	7/16"	1-3/4"	1-1/2"	3-7/8"	3-5/16"	1-1/2"	N/A	Rad fan, lug mtg. (nv)
655-2046	12 Vdc	6.8m	C.W.S.E.	5/16"	1-7/8"	1-9/16"	3-15/16"	3-5/16"	1-9/16"	N/A	Rad fan, lug mtg. (nv)
655-2047	12 Vdc	8.0m	C.W.S.E.	5/16"	2.00"	1-5/9"	4.00"	3-5/16"	1-5/8"	N/A	Rad fan, lug mtg. (nv)
655-2094	12 Vdc	8.0m	C.W.S.E.	1.00"	2-9/16"	2-9/16"	4-1/32"	5-5/16"	1-5/8"	N/A	Rad fan lug mtg.
655-2095	12 Vdc	8.0m	C.W.S.E.	5/16"	3-3/4"	3-1/2"	4-3/8"	Varies	Varies	N/A	Rad fan flnge mtg. (spnd)
655-2096	12 Vdc	8.0m	C.W.S.E.	15/16"	2-3/4"	2-3/16"	3-15/16"	5-5/16"	1-5/8"	N/A	Rad fan, lug mtg. (nv)
655-2097	12 Vdc	8.0m	C.W.S.E.	5/8"	2-1/4"	2-7/16"	4-1/16"	5-1/2"	1-1/2"	N/A	Rad fan, lug mtg. (nv)
655-2098	12 Vdc	8.0m	C.C.W.S.E.	5/8"	2-1/4"	2-7/16"	4.00"	5-1/2"	1-7/16"	N/A	Rad fan, lug mtg. (nv)
655-2099	12 Vdc		C.W.S.E.	5/8"	2-7/16"	2-7/16"	4-1/8"	5-1/2"	1-3/8"	N/A	Rad fan, lug mtg. (v)
655-2100	12 Vdc	8.0m	Reversible	11/16"	2-15/16"	2-11/16"	3-15/16"	5-3/16"	1-7/8"	N/A	nv
655-2101	12 Vdc	5/16"	C.C.W.S.E.	1.00"	3-5/8"	3.00"	2-1/2"	Varies	1-3/16"	N/A	Rad flnge mtg. (nv)
655-2102	12 Vdc			5/8"	2-1/4"	2-7/16"	4-1/8"	5-1/2"	1-15/16"	N/A	
655-2103	12 Vdc			5/8"	3-3/8"	3-3/16"	4.00"	Varies	1-5/8"	N/A	Rad fan, 4p, (v), lug mtg.
655-2104	12 Vdc			5/8"	2-9/16"	2-9/16"	4-1/32"	Varies	2-1/16"	N/A	Rad fan lug mtg.
655-2105	12 Vdc		Reversible	5/8"	2-5/16"	2-4/16"	3-15/16"	4-15/16"	1-3/16"	N/A	nv
655-2106	12 Vdc			5/16"	2-9/16"	2-9/16"	4-1/32"	Varies	1-5/8"	N/A	Rad fan lug mtg.
655-2107	12 Vdc			5/16"	3-1/16"	3-1/6"	4-1/32"	Varies	2-1/8"	N/A	Rad fan lug mtg.
655-2108	12 Vdc			5/16"	2-9/16"	2-9/16"	4-1/32"	Varies	1-5/8"	N/A	Rad fan lug mtg.
655-2109	12 Vdc			1-5/16"	4-3/32"	3-1/0"	2-3/4"	Varies	1-3/8"	N/A	Rad fan, flange mtg. (nv)
655-2110	12 Vdc			7/8"	3-7/8"	3-3/16"	3.00"	Varies	2-3/8"	N/A	Rad fan, flange mtg. (v)
655-2111	12 Vdc			7/8"	3-3/4"	3.00"	3.00"	Varies	1-13/16"	N/A	Rad fan, flange mtg. (v)
655-2112	12 Vdc	8.0m	C.W.S.E.	1-1/2"	4-5/8"	3-3/4"	2-7/8"	Varies	1.00"	N/A	nv
655-2113	12 Vdc			13/16"	2-9/16"	2-9/16"	4-1/32"	5-7/16"	1-3/16"	N/A	Rad fan lug mtg.
655-2114	12 Vdc			7/8"	2-5/8"	2-1/2"	4.00"	5-7/16"	1-3/8"	N/A	nv
655-2115	12 Vdc			13/16"	2-5/8"	2-5/8"	4-1/32"	5-7/16"	1-1/4"	N/A	Rad fan lug mtg. (v)
655-2116	12 Vdc			7/8"	2-5/8"	2-1/2"	4.0"	5-7/16"	1-3/8"	N/A	Rad fan, Lug mtg.
655-2117	12 Vdc			13/16"	2-9/16"	2-9/16"	4-1/32"	5-5/16"	1-1/4"	N/A	rad fan lug mtg.
655-2118	12 Vdc			1/2"	2-9/16"	2-9/16"	4-1/32"	5-7/16"	1-11/16"	N/A	Rad fan lug mtg.
655-2119	12 Vdc			7/16"	4-1/4"	3-11/16"	2-3/4"	3-15/16"	2-1/8"	N/A	Rad fan flnge. mtg.
655-2120	12 Vdc	8.0m	C.W.S.E.	1-1/2"	3-7/8"	3-3/4"	3.00"	5.00"	5/8"	N/A	HVAC (v)
655-2121											
655-2122	12 Vdc			7/16"	4-1/4"	3-11/16"	2-3/4"	3-15/16"	2-1/8"	N/A	Rad fan flnge. m
655-2123	12 Vdc	8.0m	Reversible	1-7/16"	4-1/2"	3-1/2"	2-3/4"	3-17/32"	1-1/2"	N/A	Rad fan lug mtg.
655-2125	12 Vdc			13/16"	3-1/6"	3-1/6"	4-1/32"	5-7/16"	1-5/8"	N/A	Rad fan lug mtg.
655-2126	12 Vdc	5/16"	C.W.S.E.	1-3/16"	3-1/2"	2-13/16"	3.00"	4-5/16"	1-5/8"	2-27/32"	Lug mtg. (nv)
655-2127	12 Vdc	6.8m	Reversible	13/16"	4-3/32"	3-1/8"	2-3/4"	Varies	1-3/8"	N/A	Rad fan, flange
655-2128	12 Vdc			1/2"	4-1/8"	3-3/8"	3-1/4"	Varies	1-9/16"	N/A	GM rad fan
655-2129	12 Vdc			1-13/16"	4-7/16"	3-3/4"	3.00"	Varies	3/4"	N/A	Rad fan, flange
655-2130	12 Vdc			1-5/16"	4-3/32"	3-1/8"	2-3/4"	Varies	1-3/8"	N/A	Rad fan, flange
655-2131	12 Vdc			1/2"	3-1/2"	2-7/8"	3-1/4"	Varies	1-9/16"	N/A	GM rad fan
655-2150	12 Vdc	5/16"	Reversible	N/A							
655-2151	12 Vdc	5/16"	C.W.S.E.	8mm	1-1/2"	4-11/16"	4-1/8"	3.0"	3-1/8"	2.0"	
655-2152	12 Vdc	5/16"	C.C.W.S.E.	8mm	1-5/8"	4-3/16"	3-7/16"	3.0"	6-1/4"	1-31/32"	

# BLOWER/RADIAN MOTORS

Part No.	Volt	Shaft Dia.	Rotation	A	B	C	D	E	F	G	Motor Type
655-111	12 Vdc	5/16"	C.C.W.S.E.	8mm	1-9/16"	4-3/8"	3-5/16"	3.0"	Varies	2-1/4"	
655-112	12 Vdc	5/16"	C.C.W.S.E.	6.8mm	2-1/16"	4.0"	3-1/2"	3-1/4"	Varies	1-7/8"	
655-113	12 Vdc	5/16"	C.C.W.S.E.	6.8mm	2-1/16"	4-1/2"	4.0"	3.0"	N/A	1-3/8"	
655-114	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-7/8"	4.0"	3-1/2"	3-1/4"	Varies	1-1/4"	
655-115	12 Vdc	5/16"	C.C.W.S.E.	7mm	7/16"	4-5/16"	3-13/16"	3-5/16"	6-1/4"	2-7/16"	
655-116	12 Vdc	5/16"	C.C.W.S.E.	8mm	1-5/8"	4-3/16"	3-3/8"	3.0"	Varies	1-5/16"	
655-117	12 Vdc	5/16"	C.W.S.E.	5/16"	1-3/4"	4-3/8"	3-5/8"	3.0"	6-5/8"	1-1/2"	
655-118	12 Vdc	5/16"	C.W.S.E.	5/16"	1-15/16"	4-7/16"	3-11/16"	3-1/4"	7-3/32"	1-11/32"	
655-119	12 Vdc	5/16"	C.C.W.S.E.	8mm	1-3/4"	4-1/32"	3-13/32"	3-1/4"	N/A	N/A	
655-120	12 Vdc	5/16"	Reversible	8mm	2-1/16"	3-7/8"	2-7/8"	3-4/16"	7.0"	15/16"	
655-121	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-15/16"	4-7/16"	3-11/16"	3-1/4"	7-3/32"	1-11/32"	
655-122	12 Vdc	5/16"	C.W.S.E.	5/16"	1-1/2"	4-3/8"	3-5/8"	3.00"	Varies	1-7/16"	
655-123	12 Vdc	5/16"	C.C.W.S.E.	6.8mm	2-1/32"	3-3/4"	3-1/16"	3.00"	3-5/8"	1.00"	
655-124	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-7/8"	4.00"	3-1/2"	3-1/4"	Varies	1-1/4"	
655-125	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-7/8"	4-3/8"	3-11/16"	3-1/4"	Varies	1-3/8"	
655-126	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-3/4"	4-9/32"	3-17/32"	3-1/4"	Varies	1-5/8"	
655-127	12 Vdc	5/16"	C.C.W.S.E.	5/16"	2.00"	4-3/8"	3-3/4"	3-1/4"	Varies	1-3/8"	
655-128	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/2"	4.00"	3-1/8"	2-1/2"	N/A	N/A	
655-129	12 Vdc	5/16"	Reversible	5/16"	1-1/2"	4.00"	3-1/8"	2-1/2"	N/A	N/A	
655-130	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-13/16"	4-3/4"	3-5/8"	3.00"	N/A	N/A	
655-131	12 Vdc	5/16"	Reversible	5/16"	2.00"	4-3/4"	4-1/8"	3-1/4"	6-7/8"	1-1/32"	
655-132	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-7/8"	4-3/8"	3-11/16"	3-1/4"	Varies	1-3/16"	
655-133	12 Vdc	5/16"	C.W.S.E.	6.8mm	2-1/8"	4-1/2"	3-1/8"	3.00"	Varies	1-3/4"	
655-134	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/2"	4-1/4"	3-1/2"	3-1/4"	Varies	1-3/4"	
655-135	12 Vdc	5/16"	C.W.S.E.	5/16"	1-5/8"	4-7/8"	4-1/8"	3.00"	N/A	1-5/8"	
655-136	12 Vdc	5/16"	C.C.W.S.E.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
655-137	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-1/2"	4-3/8"	3-5/8"	3.00"	6-1/2"	1-3/8"	
655-138	12 Vdc	5/16"	Reversible	6.8mm	2-7/16"	3-13/16"	3-1/16"	3.00"	Varies	1-1/4"	
655-139	12 Vdc	N/A	C.C.W.S.E.	5/16"	2-5/8"	4-5/16"	3-15/16"	3-3/8"	Varies	1-13/32"	GM A/C flnge. mtd. w/BW
655-140	12 Vdc	5/16"	C.W.S.E.	5/16"	1-13/32"	4-5/16"	3-15/16"	3-3/8"	Varies	1-13/32"	
655-141	12 Vdc	5/16"	C.W.S.E.	6.8mm	1-5/8"	4-3/4"	3-3/4"	3-3/4"	Varies	1-1/2"	
655-142	12 Vdc	5/16"	C.C.W.S.E.	5/16"	1-7/8"	4.00"	3-1/2"	3-1/4"	Varies	1-1/4"	
655-143	12 Vdc	5/16"	C.C.W.S.E.	6.8mm	2-1/8"	4-7/8"	3-7/16"	3-7/16"	3-5/8"	1-7/16"	
655-144	12 Vdc	5/16"	C.W.S.E.	6.8mm	2-1/16"	5-1/8"	3-1/2"	3.00"	Varies	1-1/4"	
655-145	12 Vdc	5/16"	C.C.W.S.E.	N/A	4-1/4" L	N/A	3-1/4" Dia.	N/A	N/A	N/A	
655-146	12 Vdc	5/16"	Clockwise	N/A	4-1/4" L	N/A	3-1/4" Dia.	N/A	N/A	N/A	
655-147	12 Vdc	5/16"	C.C.W.S.E.	N/A	3-5/8" L	N/A	3-1/4" Dia.	N/A	N/A	N/A	